

2021 BRUSH

PENNELLI PROFESSIONALI • PROFESSIONAL PAINT BRUSHES



MADE IN ITALY

**SOLO PER VERI DECORATORI
FOR FAUX FINISHING MASTERS ONLY**



Produzione artigianale Made in Italy

Testati e approvati dai




La selezione accurata delle migliori materie prime, l'attenzione per i dettagli e la fabbricazione Made in Italy di questi pennelli sono il nostro contributo alla professionalità e alla grande passione dei decoratori per il proprio lavoro.

The careful selection of the best raw materials, attention to detail and the Made in Italy manufacture of these brushes are our contribution to the professionalism and great passion of the decorators for their job.



Handcrafted products Made in Italy

Tested and approved by



PLAFONIERA PROFESSIONALE TOP

Plafoniera a ciuffi in setola bionda di prima qualità, cotta, ripreparata con fibre sintetiche. Assicella anti-goccia, manico soft-touch, colla epossidica.
ADATTA PER TUTTI I TIPI DI IDROPITTURE PER FINITURE DI PREGIO.

Large brush for ceilings made of first quality blonde bristle, cooked, re-prepared with synthetic fibers. Anti-drop lath, soft-touch handle, epoxy glue.
SUITABLE FOR ALL TYPES OF WATER-BASED PAINTS FOR FINE FINISHES.

UTILIZZO

Adatto per qualsiasi superficie

Idropitture molto liquide
Pitture acriliche lavabili, traspiranti.
Smalti naturali
Impregnanti a solvente
Vernici all'acqua
Vernici a solvente

USE

Suitable for any surface

Very liquid water-based paints
Acrylic paints, washable-paints, breathable paints.
Natural enamels
Solvent-based impregnating agents
Water-based paints
Solvent-based paints

ART.	 setole • bristle length	 dimensioni • dimensions	
25251	mm. 83	50x150	12
25252	mm. 89	65x160	6
25253	mm. 95	70x170	6



PER ESTERNI
OUTDOOR USE

PLAFONIERA PROFESSIONALE

Plafoniera in setola bionda di prima qualità cotta e ripreparata con fibre sintetiche, assicella anti goccia, manico soft-touch, colla epossidica.

ADATTA PER TUTTI I TIPI IDROPITTURE PER FINITURE DI PREGIO.

Ceiling brush made of first quality blonde bristle cooked and re-prepared with synthetic fibers, anti-drop clapboard, soft-touch handle, epoxy glue.

SUITABLE FOR ALL TYPES OF WATER-BASED PAINTS FOR PRECIOUS FINISHES.

UTILIZZO

Adatto per qualsiasi superficie

Idropitture
Pitture acriliche, lavabili, traspiranti e quarzi
Smalti naturali
Impregnanti a solvente
Vernici all'acqua
Vernici a solvente

USE

Suitable for any surface

Water-based paints
Acrylic paints, washable paints, breathable paints and quartz.
Natural enamels
Solvent-based impregnating agents
Water-based paints
Solvent-based paints

ART.	 setole • bristle length	 dimensioni • dimensions	
25248	mm. 83	50x150	12
25249	mm. 89	65x160	6
25250	mm. 95	70x170	6

PLAFONIERA STANDARD

Plafoniera in setola bionda di prima qualità, miscelata con fibre sintetiche, assicella in plastica antigoccia, manico soft-touch, colla epossidica.

Ottima resistenza all'abrasione.
ADATTA PER IDROPITTURE, QUARZI, IDEALE PER GRANDI SUPERFICI.

Top quality blonde bristle ceiling brush, mixed with synthetic fibers, drip-proof plastic clapboard, soft-touch handle, epoxy glue.

Excellent resistance to abrasion.
SUITABLE FOR WATER-BASED PAINTS, QUARTZ, BEST FOR LARGE SURFACES.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche, lavabili, traspiranti e particolarmente con **quarzi**
Smalti naturali
Impregnanti a solvente
Vernici all'acqua
Vernici a solvente

USE

Suitable for any surface

Acrylic paints, washable paints, breathable paints and **especially quartz paints**
Natural enamels
Solvent-based impregnating agents
Water-based paints
Solvent-based paints

ART.	 setole • bristle length	 dimensioni • dimensions	
25245	mm. 83	50x150	12
25246	mm. 89	65x160	6
25247	mm. 95	70x170	6



PLAFONIERA PROFESSIONALE SINTETICA

Plafoniera in fibre sintetiche, coniche, tubolari, assicella anti-goccia, manico soft-touch, colla epossidica.
INDICATA PER IDROPITTURE, SMALTI AD ACQUA.

Ceiling brush made of synthetic fibers, conical, tubular, anti-drop clapboard, soft-touch handle, epoxy glue.
SUITABLE FOR WATER-BASED PAINTS, WATER-BASED ENAMELS.

UTILIZZO

Adatto per qualsiasi superficie

Idropitture molto liquide
Pitture acriliche lavabili, traspiranti.
Smalti naturali
Vernici all'acqua
Ideale per smalti murali

USE

Suitable for any surface

Very liquid water-based paints
Acrylic paint, washable paints, breathable paints
Natural enamels
Water-based paints
Best for wall glaze

ART.	 setole • bristle length	 dimensioni • dimensions	
25254	mm. 83	50x150	12
25255	mm. 89	65x160	6
25256	mm. 95	70x170	6

PENNELLESA PROFESSIONALE TOP

Pennellessa professionale in setola bionda di prima qualità cotta e ripreparata miscelata con fibre sintetiche, manico in legno, ghiera ottonata, colla epossidica.
ADATTA PER IDROPITTURE E SMALTI, PER FINITURE DI PREGIO.

Professional brush made of first quality blonde bristle cooked and re-prepared mixed with synthetic fibers, wooden handle, brass ferrule, epoxy glue.
SUITABLE FOR WATER-BASED PAINTS AND ENAMELS, FOR PRECIOUS FINISHES.

UTILIZZO

Adatto per qualsiasi superficie

Idropitture
Pitture acriliche lavabili, traspiranti e quarzi
Smalti naturali
Impregnanti a solvente
Vernici all'acqua
Vernici a solvente
Smalti a solvente

USE

Suitable for any surface

Water-based paints
Acrylic washable, breathable paints and quartz
Natural enamels
Solvent-based
Water-based paints
Solvent-based paints

ART.	 setole • bristle length	 dimensioni • dimensions	
25267	mm. 51	30	12
25268	mm. 57	40	12
25269	mm. 64	50	12
25270	mm. 70	60	12
25271	mm. 76	70	12



PENNELLESA SINTETICA PREMIUM

Pennellessa in fibre sintetiche coniche appuntite chimicamente, manico in legno affusolato, ghiera ottonata, colla epossidica.

ADATTA PER OTTIME FINITURE CON SMALTI ALL'ACQUA.

Chemically pointed conical synthetic fiber brush, tapered wood handle, brass ferrule, epoxy glue.

SUITABLE FOR EXCELLENT FINISHES WITH WATER-BASED ENAMELS.

UTILIZZO

Adatto per qualsiasi superficie

Idropitture, pitture acriliche lavabili, traspiranti
Ideale per smalti all'acqua
smalti murali, smalti tixotropici

USE

Suitable for any surface

Water-based paints, washable, breathable acrylic paints
Natural glaze
Ideal for water-based enamels
wall enamels, thixotropic enamels

ART.	 setole • bristle length	 dimensioni • dimensions	
25262	mm. 64	30	12
25263	mm. 64	40	12
25264	mm. 70	50	12
25265	mm. 70	60	12
25266	mm. 70	70	12

PENNELLESA SINTETICA TOP

Pennellessa in fibre sintetiche pregiate coniche appuntite chimicamente, manico in legno affusolato, ghiera inox, colla epossidica.

ADATTA PER UNA FINITURA DI PREGIO CON SMALTI ALL'ACQUA.

Chemically pointed conical synthetic fiber brush, wood handle, stainless steel ferrule, epoxy glue.

SUITABLE FOR A PRECIOUS FINISH WITH WATER-BASED ENAMELS.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti
Ideale per smalti all'acqua
Smalti murali
Vernici all'acqua

USE

Suitable for any surface

Washable, breathable acrylic paints
Ideal for water-based enamels
Wall glaze
Water-based paints

ART.	 setole • bristle length	 dimensioni • dimensions	
25257	mm. 64	30	12
25258	mm. 64	40	12
25259	mm. 70	50	12
25260	mm. 70	60	12
25261	mm. 70	70	12



AMERICANA PREMIUM BIONDA

Pennellessa americana in setola bionda di prima qualità miscelata con fibre sintetiche, manico in legno, ghiera ramata con spessore da 20 mm, colla epossidica.

ADATTA PER SMALTI ED IDROPITTURE.

American brush made of first quality blonde bristle mixed with synthetic fibers, wooden handle, 20 mm thick copper ferrule, epoxy glue.

SUITABLE FOR ENAMELS AND WATER-BASED PAINTS.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti
Smalti naturali
Impregnanti a solvente
Vernici all'acqua
Vernici a solvente
Smalti a solvente

USE

Suitable for any surface

Washable, breathable acrylic paints
Natural enamels
Solvent-based impregnating agents
Water-based paints
Solvent-based paints
Solvent-based enamels

ART.	setole • bristle length	dimensioni • dimensions	
25272	mm. 57	1"	12
25273	mm. 64	1" 1/2	12
25274	mm. 70	2"	12
25275	mm. 76	2" 1/2	12
25276	mm. 76	3"	12

AMERICANA PREMIUM NERA

Pennellessa americana in setola nera di prima qualità cotta e ripreparata miscelata con fibre sintetiche, manico in legno, ghiera ottonata con spessore da 20 mm, colla epossidica.

ADATTA PER SMALTI ED IMPREGNANTI A SOLVENTE, PER FINITURE DI PREGIO.

American brush made of first quality black bristle cooked and re-prepared mixed with synthetic fibers, wooden handle, brass ferrule with a thickness of 20 mm, epoxy glue.

SUITABLE FOR ENAMELS AND IMPREGNANTS SOLVENT-BASED, FOR PRECIOUS FINISHES.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti
Smalti naturali
Smalti a solvente
Vernici all'acqua
Vernici a solvente
Ideale per Impregnanti a solvente

USE

Suitable for any surface

Washable, breathable acrylic paints
Natural enamels
Solvent-based enamels
Water-based paints
Solvent-based paints
Ideal for solvent-based impregnating agents

ART.	setole • bristle length	dimensioni • dimensions	
25277	mm. 57	1"	12
25278	mm. 64	1" 1/2	12
25279	mm. 70	2"	12
25280	mm. 76	2" 1/2	12
25281	mm. 76	3"	12



PLAFONCINO OVALE PROFESSIONALE

Plafoncino ovale in setola bionda miscelato con fibre sintetiche, assicella e manico in legno, ghiera ramata, colla epossidica.

INDICATO PER IMPREGNANTI ED IDROPITTURE.

Oval ceiling brush made of blonde bristle mixed with synthetic fibers, clapboard and wooden handle, copper ferrule, epoxy glue

SUITABLE FOR IMPREGNANTS AND WATER-BASED PAINTS.

UTILIZZO	USE
Adatto per qualsiasi superficie	Suitable for any surface
Pitture acriliche lavabili, traspiranti	Acrylic washable paints, breathable paints
Smalti naturali	Natural enamels
Impregnanti a solvente	Solvent-based impregnating agents
Vernici all'acqua	Water-based paints
Vernici a solvente	Solvent-based paints

ART.	setole • bristle length	dimensioni • dimensions	
25239	mm. 76	30X70	12
25240	mm. 76	30X100	12
25241	mm. 76	30X120	12

PLAFONCINO PROFESSIONALE

Plafoncino professionale in setola bionda di prima qualità cotta e ripreparata miscelata con fibre sintetiche.

Assicella in legno, manico in soft-touch, ghiera ottonata, colla epossidica.

ADATTO PER IDROPITTURE E SMALTI, PER FINITURE DI PREGIO.

Professional ceiling brush made of first quality blonde bristle cooked and re-prepared mixed with synthetic fibers.

Wooden clapboard, soft-touch handle, brass ferrule, epoxy glue.

SUITABLE FOR WATER-BASED PAINTS AND ENAMELS, FOR VALUABLE FINISHES.

UTILIZZO	USE
Adatto per qualsiasi superficie	Suitable for any surface
Pitture acriliche lavabili, traspiranti e quarzi	Acrylic washable paints, breathable paints and quartz
Smalti naturali	Natural enamels
Impregnanti a solvente	Solvent-based impregnating agents
Vernici all'acqua	Water-based paints
Vernici a solvente	Solvent-based paints

ART.	setole • bristle length	dimensioni • dimensions	
25242	mm. 76	30x70	12
25243	mm. 83	30x100	12
25244	mm. 89	30x120	12



PLAFONCINO PROFESSIONALE SINTETICO

Plafoncino in fibre sintetiche coniche miscelate con setole bionde, assicella in legno manico soft-touch, ghiera ottonata, colla epossidica.

ADATTO PER IDROPITTURE E SMALTI ALL'ACQUA.

Ceiling brush made of conical synthetic fibers mixed with blond bristles, wooden clapboard with soft-touch handle, brass ring, epoxy glue.

SUITABLE FOR WATER-BASED PAINTS AND WATER-BASED ENAMELS.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti
Smalti naturali
Vernici all'acqua
Ideale per smalti all'acqua
Smalti murali

USE

Suitable for any surface

Washable, breathable acrylic paints
Natural enamels
Water-based paints
Ideal for water-based glazes
Wall enamels

ART.	 setole • bristle length	 dimensioni • dimensions	
25233	mm. 83	30x70	12
25234	mm. 83	30x100	12
25235	mm. 83	30x120	12

PLAFONCINO OVALE SINTETICO

Plafoncino ovale in fibre sintetiche coniche tubolari miscelate con setola bionda, assicella e manico in legno, ghiera ottanta, colla epossidica.

INDICATO PER SMALTI E VERNICI ALL'ACQUA.

Oval ceiling brush made of tubular conical synthetic fibers mixed with blond bristle, wooden clapboard and handle, eighty ferrule, epoxy glue.

SUITABLE FOR WATER-BASED PAINTS AND ENAMELS.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti
Smalti naturali
Vernici all'acqua
Ideale per smalti all'acqua
Smalti murali
Finiture perfette con smalti all'acqua

USE

Suitable for any surface

Washable, breathable acrylic paints
Natural enamels
Water-based paints
Ideal for water-based glazes
Wall enamels
Perfect finishes with water-based enamels

ART.	 setole • bristle length	 dimensioni • dimensions	
25236	mm. 90	30x70	12
25237	mm. 90	30x100	12
25238	mm. 90	30x120	12



RADIATORE PROFESSIONALE

Radiatore professionale in setola bionda di prima qualità cotta e ripreparata, miscelata con fibre sintetiche, manico in legno, ghiera ramata con spessore da 9 mm, colla epossidica.

ADATTO PER IDROPITTURE E SMALTI A SOLVENTE.

Professional angled brush made of first quality cooked and reprepared blonde bristle, mixed with synthetic fibers, wooden handle, 9 mm thick copper ferrule, epoxy glue.

SUITABLE FOR WATER-BASED PAINTS AND SOLVENT-BASED ENAMELS.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti e quarzi
Smalti naturali
Impregnanti a solvente
Vernici all'acqua
Vernici a solvente
Smalti a solvente

USE

Suitable for any surface

Washable, breathable acrylic paints and quartz
Natural enamels
Solvent-based impregnating agents
Water-based paints
Solvent-based paints
Solvent-based enamels

ART.	setole • bristle length	dimensioni • dimensions	
25282	mm. 57	30	12
25283	mm. 57	40	12
25284	mm. 64	50	12
25285	mm. 64	60	12
25286	mm. 70	70	12

RADIATORE SINTETICO TOP

Radiatore in fibre sintetiche pregiate coniche appuntite chimicamente, manico in legno, ghiera inox con spessore da 9 mm, colla epossidica.

ADATTO A SMALTI ALL'ACQUA E PRODOTTI ACRILICI.

Chemically pointed conical synthetic fiber angle brush, wooden handle, 9 mm thick stainless steel ferrule, epoxy glue.

SUITABLE FOR WATER-BASED ENAMELS AND ACRYLIC PRODUCTS.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti
Smalti naturali
Vernici all'acqua
Ideale per smalti all'acqua, smalti murali

USE

Suitable for any surface

Washable, breathable acrylic paints
Natural enamels
Water-based paints
Ideal for water-based enamels, wall enamels

ART.	setole • bristle length	dimensioni • dimensions	
25287	mm. 70	30	12
25288	mm. 70	40	12
25289	mm. 70	50	12
25290	mm. 70	60	12



SPALTER STANDARD

Spalter in fibre sintetiche miscelate con setole, manico in legno grezzo, ghiera in banda stagna, colla epossidica.

ADATTO PER VELATURE.

Spalter brush made of synthetic fibers mixed with bristles, handle in raw wood, ferrule in watertight band, epoxy glue.

SUITABLE FOR GLAZING.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti
Smalti naturali
Smalti a solvente
Vernici all'acqua
Vernici a solvente

USE

Suitable for any surface

Washable, breathable acrylic paints
Natural enamels
Solvent-based enamels
Water-based paints
Solvent-based paints

ART.	 setole • bristle length	 dimensioni • dimensions	
25210	mm. 57	70x90	12
25211	mm. 57	100x90	12
25212	mm. 64	150x70	12

SPALTER PREMIUM SINTETICO

Spalter in setole in fibre sintetiche pregiate coniche, manico in legno grezzo, ghiera in inox, colla epossidica.

ADATTO PER VELATURE.

Spalter brush made of conical fine synthetic fiber bristles, raw wood handle, stainless steel band, epoxy glue.

SUITABLE FOR GLAZING.

UTILIZZO

Adatto per qualsiasi superficie

Pitture acriliche lavabili, traspiranti
Smalti naturali
Vernici all'acqua
Ideale per smalti all'acqua
Smalti murali

USE

Suitable for any surface

Washable, breathable acrylic paints
Natural enamels
Water-based paints
Ideal for water-based enamels
Wall enamels

ART.	 setole • bristle length	 dimensioni • dimensions	
25230	mm. 57	70x90	12
25231	mm. 57	100x90	12
25232	mm. 64	150x70	12



PENNELLO ANGOLARE TONDO

Pennello angolare tondo in setola bionda di prima qualità, miscelata con fibre sintetiche, manico ergonomico in plastica adattabile su asta, ghiera in nichel, colla epossidica.

ADATTO PER PROFILARE E PER IDROPITTURE.

Round angular brush made of first quality blonde bristle, mixed with synthetic fibers, ergonomic plastic handle adaptable on rod, nickel ferrule, epoxy glue.

SUITABLE FOR PROFILING AND FOR WATER-BASED PAINTS.

UTILIZZO

Adatto per qualsiasi superficie

Idropitture
Pitture acriliche, lavabili, traspiranti
Smalti naturali
Smalti a solvente
Vernici all'acqua
Vernici a solvente

USE

Suitable for any surface

Acrylic paints, washable, breathable
Natural enamels
Solvent-based enamels
Water-based paints
Solvent-based paints

ART.	setole • bristle length	dimensioni • dimensions	
25291 spare	mm. 76	70x90	6
25292 complete	mm. 76	70x90	6



PENNELLO ANGOLARE OVALE

Pennello angolare ovale in setola bionda di prima qualità cotta e ripreparata miscelata con fibre sintetiche, manico ergonomico in plastica adattabile su asta, ghiera in nichel, colla epossidica.

ADATTO PER PROFILARE E PER IDROPITTURE.

Angled oval brush made of blonde bristle first quality cooked and re-prepared mixed with synthetic fibers, ergonomic plastic handle adaptable on rod, nickel ferrule, epoxy glue.

SUITABLE FOR PROFILING AND FOR WATER-BASED PAINTS.

UTILIZZO

Adatto per qualsiasi superficie

Idropitture
Pitture acriliche, lavabili, traspiranti
Smalti naturali
Impregnanti a solvente
Vernici all'acqua
Vernici a solvente

USE

Suitable for any surface

Water-based paints
Acrylic paints, washable, breathable
Natural enamels
Solvent-based impregnating agents
Water-based paints
Solvent-based paints

ART.	setole • bristle length	dimensioni • dimensions	
25293 spare	mm. 76	70x90	6
25294 complete	mm. 76	70x90	6



Confezionati
singolarmente con
pellicola protettiva

Wrapped
in protective film



Impugnatura
anatomica in legno,
plastica bicomponente

Wooden anatomic handgrip
or two-component
plastic




Il pratico espositore
dedicato

The functional
dedicated
in-store display

Una serie di pennelli professionali per pittura e per finiture
di qualità superiore, realizzati con setole di eccellenza per una resa straordinaria.

Superior quality professional brushes for painting and finishing,
made of the best bristles on the market, to achieve stunning results.





contact@marmorinotools.it

PENNELLI PROFESSIONALI • PROFESSIONAL PAINT BRUSHES



www.marmorinotools.it



facebook.com/marmorino.tools.2017



instagram.com/marmorinotools